

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Aqua

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use

Use of the substance/mixture : Correction fluid

1.2.2. Uses advised against

No additional information available

Kores Europe s.r.o.

Nivka 336, 378 53 Strmilov

Czech Republic

Contact customer service: 1190 Vienna, AUSTRIA

Tel.: +43/1/3780755

Email: kores@kores.at

Web: www.kores.com

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number

Emergency number : 112 (EU)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium(IV) oxide substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (AT, BE, BG, CH, DE, DK, ES, FR, GB, GR, IE, IS, LT, LV, NO, PT, SE, SK)	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (REACH-no) 01-2119489379-17-XXXX	5 - 50	Not classified
Chalk substance with national workplace exposure limit(s) (BE, BG, FR, HU, IE)	(CAS-No.) 1317-65-3 (EC-No.) 215-279-6	5 - 50	Not classified

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

1,2-propanediol substance with national workplace exposure limit(s) (GB, IE, LT, LV, NO)	(CAS-No.) 57-55-6 (EC-No.) 200-338-0 (REACH-no) 01-2119456809-23-XXXX	1 - 15	Not classified
silicon dioxide (Silica) substance with national workplace exposure limit(s) (BE, CH, DE, GB, LV)	(CAS-No.) 7631-86-9 (EC-No.) 231-545-4 (REACH-no) 01-2119379499-16-XXXX	1 - 5	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat and ignition sources. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Titanium(IV) oxide (13463-67-7)

EU	Local name	Titanium dioxide
EU	Notes	(Ongoing)

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

Titanium(IV) oxide (13463-67-7)

EU	Regulatory reference	SCOEL Recommendations
Austria	Local name	Titandioxid (Alveolarstaub)
Austria	MAK (mg/m³)	5 mg/m³
Austria	MAK Short time value (mg/m³)	10 mg/m³
Austria	Regulatory reference	BGBI. II Nr. 186/2015
Belgium	Local name	Titane (dioxyde de) # Titaandioxide
Belgium	Limit value (mg/m³)	10 mg/m³
Belgium	Regulatory reference	Koninklijk besluit/Arrêté royal 11/03/2002
Bulgaria	Local name	Титанов диоксид
Bulgaria	OEL TWA (mg/m³)	10 mg/m³ респирабилен прах
Bulgaria	Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа
Croatia	Local name	Titanov dioksid
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	10 mg/m³ U (ukupna prašina) 4 mg/m³ R (respirabilna prašina)
Croatia	Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN, br. 75/13)
Denmark	Local name	Titandioxid
Denmark	Grænseværdie (langvarig) (mg/m³)	6 mg/m³ beregnet som Ti
Denmark	Regulatory reference	BEK nr 655 af 31/05/2018
Estonia	Local name	Titaanoksiid
Estonia	OEL TWA (mg/m³)	5 mg/m³
Estonia	Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293
France	Local name	Titane (dioxyde de), en Ti
France	VME (mg/m³)	10 mg/m³
France	Note (FR)	Valeurs recommandées/admises
France	Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Germany	TRGS 900 Local name	Titandioxid
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	1.25 mg/m³ A (mg/m3) 10 mg/m³ E (mg/m3)
Germany	TRGS 900 Remark	AGS,DFG
Greece	Local name	Τιτανίου διοξειδίο
Greece	OEL TWA (mg/m³)	10 mg/m³ εισπν. 5 mg/m³ αναπν.
Greece	Regulatory reference	Π.Δ. 90/1999
Ireland	Local name	Titanium dioxide
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³ total inhalable dust 4 mg/m³ respirable dust
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
Latvia	Local name	Titānadioksīds
Latvia	OEL TWA (mg/m³)	10 mg/m³

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

Titanium(IV) oxide (13463-67-7)

Latvia	Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
Lithuania	Local name	Titano dioksidas
Lithuania	IPRV (mg/m³)	5 mg/m³
Lithuania	Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011
Portugal	Local name	Dióxido de titânio
Portugal	OEL TWA (mg/m³)	10 mg/m³
Portugal	Regulatory reference	Norma Portuguesa NP 1796:2014
Slovakia	Local name	Oxid titaničitý
Slovakia	NPHV (priemerná) (mg/m³)	5 mg/m³
Slovakia	Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (Zmena: 300/2007 Z.z.; Zmena: 471/2011 Z.z.)
Spain	Local name	Dióxido de titanio
Spain	VLA-ED (mg/m³)	10 mg/m³
Spain	Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2018. INSHT
Sweden	Local name	Titandioxid
Sweden	nivågränsvärde (NVG) (mg/m³)	5 mg/m³ totaldamm
Sweden	Anmärkning (SE)	3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiameteren är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Sweden	Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom	Local name	Titanium dioxide
United Kingdom	WEL TWA (mg/m³)	4 mg/m³ respirable 10 mg/m³ total inhalable
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Iceland	Local name	Títandíoxíð, sem Ti
Iceland	OEL (8 hours ref) (mg/m³)	6 mg/m³
Iceland	Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Russian Federation	Remark (RU)	4 класс опасности - умеренно опасное; а (аэрозоль); Ф (аэрозоли преимущественно фиброгенного действия)
Norway	Local name	Titandioksid
Norway	Grenseverdier (AN) (mg/m³)	5 mg/m³
Norway	Regulatory reference	FOR-2018-08-21-1255
Switzerland	Local name	Titandioxid
Switzerland	MAK (mg/m³)	3 mg/m³ (a)
Switzerland	Remark (CH)	Kritische Toxizität: UAW; Messmethoden: NIOSH; Notationen: SS _C
Switzerland	Regulatory reference	SUVA - Grenzwerte am Arbeitsplatz 2018
Australia	Local name	Titanium dioxide
Australia	TWA (mg/m³)	10 mg/m³
Australia	Remark (AU)	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

Titanium(IV) oxide (13463-67-7)

USA - ACGIH	Local name	Titanium dioxide
USA - ACGIH	ACGIH TWA (mg/m³)	1 mg/m³
USA - ACGIH	Remark (ACGIH)	LRT irr; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
USA - ACGIH	Regulatory reference	ACGIH 2018
USA - OSHA	Local name	Titanium dioxide (Total dust)
USA - OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³

Chalk (1317-65-3)

Belgium	Local name	Calcium (carbonate de) # Calciumcarbonaat
Belgium	Limit value (mg/m³)	10 mg/m³
Belgium	Regulatory reference	Koninklijk besluit/Arrêté royal 11/03/2002
Bulgaria	Local name	Калциев карбонат
Bulgaria	OEL TWA (mg/m³)	10 mg/m³ 10 mg/m³ Инхалабилна фракция
Bulgaria	OEL TWA (ppm)	1 ppm Влакна - респирабилна фракция
Croatia	Local name	Limestone (sedimentna stijena)
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	10 mg/m³ U (ukupna prašina) 4 mg/m³ R (respirabilna prašina)
Croatia	Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN, br. 75/13)
France	VME (mg/m³)	10 mg/m³ (Calcium (carbonate de); France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative)
Hungary	Local name	KALCIUM-KARBONÁT
Hungary	AK-érték	10 mg/m³
Hungary	Regulatory reference	25/2000. (IX. 30.) EüM–SZCSM együttes rendelet a munkahelyek kémiai biztonságáról
Ireland	Local name	Calcium carbonate
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³ total inhalable dust 4 mg/m³ respirable dust
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018

1,2-propanediol (57-55-6)

Croatia	Local name	Propane-1,2-diol
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	474 mg/m³ ukupno pare i čestice 10 mg/m³ čestice
Croatia	GVI (granična vrijednost izloženosti) (ppm)	150 ppm ukupno pare i čestice 150 ppm čestice

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

1,2-propanediol (57-55-6)

Croatia	Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN, br. 75/13)
Ireland	Local name	Propane-1,2-diol
Ireland	OEL (8 hours ref) (mg/m³)	470 mg/m³ total (vapour and particulates) 10 mg/m³ particulates
Ireland	OEL (8 hours ref) (ppm)	150 ppm total (vapour and particulates)
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
Latvia	Local name	Propilēnglikols (1,2-propāndiols)
Latvia	OEL TWA (mg/m³)	7 mg/m³
Latvia	Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
Lithuania	Local name	Propilenglikolis
Lithuania	IPRV (mg/m³)	7 mg/m³
Lithuania	Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011
United Kingdom	Local name	Propane-1,2-diol
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ particulates 474 mg/m³ total vapour and particulates
United Kingdom	WEL TWA (ppm)	150 ppm total vapour and particulates
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Russian Federation	Remark (RU)	3 класс опасности - опасное; п + а (смесь паров и аэрозоля)
Norway	Local name	Propan-1,2-diol
Norway	Grønseverdier (AN) (mg/m³)	79 mg/m³
Norway	Grønseverdier (AN) (ppm)	25 ppm
Norway	Regulatory reference	FOR-2018-08-21-1255
Australia	Local name	Propane-1,2-diol
Australia	TWA (mg/m³)	474 mg/m³ vapour & particulates 10 mg/m³ particulates only
Australia	TWA (ppm)	150 ppm vapour & particulates

silicon dioxide (Silica) (7631-86-9)

Belgium	Limit value (mg/m³)	0.1 mg/m³ (Silices amorphes : silice fondue SiO2 (poussières alvéolaires); Belgium; Time-weighted average exposure limit 8 h; Silices amorphes : fumées (fraction alvéolaire); 2 mg/m³; Belgium; Time-weighted average exposure limit 8 h; Silices amorphes : terre de diatomées, non calcinées (fraction inhalable); 10 mg/m³; Belgium; Time-weighted average exposure limit 8 h)
Estonia	Local name	Räni (peentolm)
Estonia	OEL TWA (mg/m³)	2 mg/m³
Estonia	Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293
Germany	TRGS 900 Local name	Kieselsäuren, amorphe
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	4 mg/m³ (E)
Germany	TRGS 900 Remark	DFG;2;Y
Germany	TRGS 900 Regulatory reference	TRGS900
Latvia	Local name	Silīcija dioksīds

silicon dioxide (Silica) (7631-86-9)

Latvia	OEL TWA (mg/m³)	1 mg/m³
Latvia	Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumi Nr.325
Slovenia	Local name	silikagel
Slovenia	OEL TWA (mg/m³)	4 mg/m³
Slovenia	Regulatory reference	Uradni list RS, št. 38/2015 z dne 4.6.2015
United Kingdom	WEL TWA (mg/m³)	6 mg/m³ Silica, amorphous inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Silica, amorphous respirable dust; 2.4 mg/m³; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
Switzerland	Local name	Kieselsäuren, amorphe [Diatomeenerde, Siliciumdioxid nichtkristallin, Kieselglas, Kieselgur, gebrannt, Kieselgut, Kieselrauch, Kieselsäure, amorphe kolloidale]
Switzerland	Remark (CH)	Kritische Toxizität: Lungenfibrose; Notationen: SS _c
Switzerland	Regulatory reference	SUVA - Grenzwerte am Arbeitsplatz 2018
Australia	Local name	Fumed silica [Silica – Amorphous]
Australia	TWA (mg/m³)	2 mg/m³ respirable dust

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate general and local exhaust ventilation. Ensure good ventilation of the work station.

Personal protective equipment:

Protective goggles. Gloves.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 10 mbar
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.55 - 1.8 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 21 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Titanium(IV) oxide (13463-67-7)

LD50 oral rat	> 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit; Literature study)
LC50 inhalation rat (mg/l)	> 6.8 mg/l/4h (Rat; Experimental value)

Chalk (1317-65-3)

LD50 oral rat	6450 mg/kg (Rat; Literature study)
---------------	------------------------------------

1,2-propanediol (57-55-6)

LD50 oral rat	20000 mg/kg (Rat; Experimental value)
LD50 dermal rat	22500 mg/kg (Rat; Experimental value)
LD50 dermal rabbit	20800 mg/kg (Rabbit; Experimental value)

silicon dioxide (Silica) (7631-86-9)

LD50 oral rat	> 10000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Titanium(IV) oxide (13463-67-7)

IARC group	2B - Possibly carcinogenic to humans
------------	--------------------------------------

silicon dioxide (Silica) (7631-86-9)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

Titanium(IV) oxide (13463-67-7)

EC50 Daphnia 1	> 100 mg/l (LC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Weight of evidence)
Threshold limit algae 1	61 mg/l (EC50; Other; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)

1,2-propanediol (57-55-6)

LC50 fish 2	51600 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss)
EC50 Daphnia 1	34400 mg/l (EC50; 48 h)

silicon dioxide (Silica) (7631-86-9)

LC50 fish 1	> 10000 mg/l (LC50; 96 h)
EC50 Daphnia 1	> 10000 mg/l (EC50; 24 h)

12.2. Persistence and degradability

Titanium(IV) oxide (13463-67-7)

Persistence and degradability	Biodegradability: Not applicable. Low potential for Mobility in soil.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Chalk (1317-65-3)

Persistence and degradability	Biodegradability: Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

BOD (% of ThOD)	Not applicable
-----------------	----------------

1,2-propanediol (57-55-6)

Persistence and degradability	Readily biodegradable in water. Biodegradable in soil.
Biochemical oxygen demand (BOD)	0.96 - 1.08 g O ₂ /g substance
Chemical oxygen demand (COD)	1.63 g O ₂ /g substance
ThOD	1.69 g O ₂ /g substance
BOD (% of ThOD)	0.57

silicon dioxide (Silica) (7631-86-9)

Persistence and degradability	Biodegradability: Not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

Titanium(IV) oxide (13463-67-7)

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

Chalk (1317-65-3)

Bioaccumulative potential	Bioaccumulation: No data available.
---------------------------	-------------------------------------

1,2-propanediol (57-55-6)

Log Pow	-1.41 - -0.30 (-0.92; Experimental value; -1.07; Experimental value; Equivalent or similar to OECD 107; 20.5 °C)
Bioaccumulative potential	Not bioaccumulative.

silicon dioxide (Silica) (7631-86-9)

Bioaccumulative potential	Not bioaccumulative. Not established.
---------------------------	---------------------------------------

12.4. Mobility in soil

1,2-propanediol (57-55-6)

Surface tension	0.036 N/m (25 °C)
-----------------	-------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
European List of Waste (LoW) code	: 20 01 27* - paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

14.3. Transport hazard class(es)

Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
---------------	---------------	---------------	---------------	---------------

14.4. Packing group

Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
---------------	---------------	---------------	---------------	---------------

14.5. Environmental hazards

Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
---------------	---------------	---------------	---------------	---------------

No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)

Storage class (LGK) : LGK 12 - Non-combustible liquids

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

EUH210	Safety data sheet available on request.
--------	---

Aqua

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) as amended

SDS EU (REACH Annex II)
This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.